

Introduction

When it comes to value without compromising performance, you're talking about Z-Line shelving. Its fastening mechanism, combined with a versatile array of components means it fits all your storage needs.

The interlocking keyhole design not only makes installation fast and easy but eliminates the need for clips, gussets, sway braces or other hardware necessary with conventional shelving. Without these obstacles, you have completely free access from all sides of the unit.

Z-Line's adaptability makes it ideal for any size storage requirement. Its interchangeable componentry means it can be configured for single width shelving applications or spans up to 96" wide. It's a multifaceted system that affordably solves all your storage needs.

Z-Line Features:

- Exceptional Strength
- Easy Assembly
- Unobstructed Accessibility
- Low-Profile Shelf Support
- Long Spans
- Strong, Economical Shelves




Z LINE COMPONENTS

Posts, Shelf Supports, Deck Supports

STANDARD ANGLE POST (1¹⁵/₃₂w x 1¹⁵/₃₂d)


CAT. NO.	LENGTH	WT.	PRICE
EUR-36	36	2.0	5.90
EUR-48	48	2.7	8.20
EUR-60	60	3.4	9.50
EUR-72	72	4.0	11.30
EUR-84	84	4.7	13.20
EUR-96	96	5.4	15.10
EUR-108	108	6.0	17.20
EUR-120	120	6.7	18.70
EUR-132	132	7.4	21.00
EUR-144	144	8.1	22.00



Post slotted for shelf adjustment on 1-1/2" centers.
Total weight capacity not to exceed 8,000 lbs. per unit (2,000 lbs. per post), based on 24" centers or less.

INTERMEDIATE POST (3³/₈w x 1¹⁵/₃₂d)


CAT. NO.	LENGTH	WT.	PRICE
ZTP-36	36	3.9	11.90
ZTP-48	48	5.1	15.60
ZTP-60	60	6.4	18.90
ZTP-72	72	7.7	23.00
ZTP-84	84	9.0	27.00
ZTP-96	96	10.3	30.00
ZTP-108	108	11.6	34.00
ZTP-120	120	12.8	38.00
ZTP-132	132	14.1	41.00
ZTP-144	144	15.4	45.00



Post slotted for shelf adjustment on 1-1/2" centers.
Total weight capacity not to exceed 11,000 lbs. per unit (5,500 lbs. per post), based on 24" centers or less.

HIGH CAPACITY ANGLE POST (2¹/₁₆w x 2¹/₁₆d)

CAT. NO.	LENGTH	WT.	PRICE
SUR-36	36	2.8	8.40
SUR-48	48	3.7	11.40
SUR-60	60	4.7	13.40
SUR-72	72	5.4	16.00
SUR-84	84	6.5	18.60
SUR-96	96	7.6	21.00
SUR-108	108	8.5	24.00
SUR-120	120	9.2	26.00
SUR-132	132	10.4	30.00
SUR-144	144	11.4	32.00
SUR-168	168	13.3	37.00
SUR-181.5	181.5	14.3	40.00



Post slotted for shelf adjustment on 1-1/2" centers.
Total weight capacity not to exceed 13,000 lbs. per unit (3,250 lbs. per post), based on 24" centers or less.

MEDIUM DUTY SHELF SUPPORTS

14 GAUGE					
CAT. NO.	LOAD RECOMMEND		LGTH	WT.	PRICE
	CAP.	# FBSV-xx			
VDRS-4814	1000	1	47.5	3.6	11.80
VDRS-6014	750	1	59.5	4.6	14.00
VDRS-6614	700	1	65.5	5.0	15.60
VDRS-6914	650	1	68.5	5.2	15.80
VDRS-7214	600	2	71.5	5.4	17.00

Shelf supports are 7/8"d x 2¹/₄"h. Supports slotted for optional FBSV-xx front-to-back deck supports (see page 3). Load capacities are based on above recommended number of deck supports.



16 GAUGE					
CAT. NO.	LOAD RECOMMEND		LGTH	WT.	PRICE
	CAP.	# FBSV-xx			
VDRS-1216	1000	—	11.5	.6	2.70
VDRS-1516	1000	—	14.5	.8	3.10
VDRS-1816	1000	—	17.5	.9	3.60
VDRS-2416	1000	—	23.5	1.3	4.40
VDRS-3016	1000	—	29.5	1.5	5.40
VDRS-3616	1000	1	35.5	1.8	6.30
VDRS-4216	900	1	41.5	2.2	7.30
VDRS-4816	850	1	47.5	2.5	8.20

Shelf supports are 7/8"d x 2"h. Supports slotted on 12" centers for optional FBSV-xx front-to-back deck supports (see page 3). Load capacities are based on above recommended number of deck supports.



Z LINE COMPONENTS

Shelf Supports, Deck Supports


HEAVY-DUTY SHELF SUPPORTS

CAT. NO.	LOAD CAP	RECOMMEND # SUPPORTS	LENGTH	WT.	PRICE
LRA-12	2250	—	11.5	.9	3.30
LRA-15	2250	—	14.5	1.2	4.10
LRA-18	2250	—	17.5	1.4	4.50
LRA-24	2250	—	23.5	1.9	5.40
LRA-30	2250	—	29.5	2.3	6.90
LRA-36 §	2250	—	35.5	2.8	8.10
*LRA-42 §	2500	1	41.5	3.3	9.70
LRA-48 §	2250	1	47.5	3.7	10.60
LRA-60 §	2000	1	59.5	4.5	13.30
*LRA-69 §	1800	1	68.5	5.4	15.50
LRA-72 ☒	1750	2	71.5	5.7	15.90
LRA-84 ¥	1500	3	83.5	6.6	19.10
LRA-96 ¥	1250	3	95.5	7.5	22.00

Shelf supports are 1" d x 2³/₄" h.
Load capacities are based on above recommended number of SDS-xx front-to-back deck supports.

§ Interior rivets can accommodate one SDS-xx per level.
☒ Interior rivets can accommodate two SDS-xx per level.
¥ Interior rivets can accommodate three SDS-xx per level.

* 42" and 69" sizes are slotted for optional use of archive box rails (ZBR-xx).



Profile View

EXTRA HEAVY-DUTY CHANNEL SHELF SUPPORTS


CAT. NO.	LOAD CAP	RECOMMEND # SUPPORTS	LENGTH	WT.	PRICE
LRC-48 §	2500	1	47.5	5.2	14.30
LRC-60 §	2250	1	59.5	6.2	19.40
LRC-72 ☒	2000	2	71.5	7.4	21.00
LRC-84 ¥	1750	3	83.5	8.7	26.00
LRC-96 ¥	1600	3	95.5	9.9	27.00

§ Interior rivets accommodate one SDS-xx per level. ☒ Interior rivets accommodate two SDS-xx per level. ¥ Interior rivets accommodate three SDS-xx per level.



Profile View


Shelf supports are 1" d x 3¹/₄" h. Load capacities are based on above recommended number of SDS-xx front-to-back deck supports.



HEAVY-DUTY FRONT-TO-BACK DECK SUPPORTS (for LRA & LRC)

CAT. NO.	W	D	H	WT.	PRICE
SDS-12	1 ³ / ₈	12	2 ³ / ₈	1.0	3.90
SDS-15	1 ³ / ₈	15	2 ³ / ₈	1.2	4.00
SDS-18	1 ³ / ₈	18	2 ³ / ₈	1.4	4.00
SDS-24	1 ³ / ₈	24	2 ³ / ₈	1.9	5.00
SDS-30	1 ³ / ₈	30	2 ³ / ₈	2.4	6.30
SDS-36	1 ³ / ₈	36	2 ³ / ₈	2.8	7.20
SDS-42	1 ³ / ₈	42	2 ³ / ₈	3.3	9.10
SDS-48	1 ³ / ₈	48	2 ³ / ₈	3.8	9.40


Used to support particleboard decking in the center. Use with LRA-xx or LRC-xx only.



MEDIUM DUTY FRONT TO BACK DECK SUPPORTS (for VDRS)

CAT. NO.	W	D	H	WT.	PRICE
FBSV-12	1 ³ / ₈	12	2 ³ / ₈	.6	3.00
FBSV-15	1 ³ / ₈	15	2 ³ / ₈	.8	3.50
FBSV-18	1 ³ / ₈	18	2 ³ / ₈	.9	3.90
FBSV-24	1 ³ / ₈	24	2 ³ / ₈	1.3	4.80
FBSV-30	1 ³ / ₈	30	2 ³ / ₈	1.6	5.60
FBSV-36	1 ³ / ₈	36	2 ³ / ₈	1.9	6.40
FBSV-42	1 ³ / ₈	42	2 ³ / ₈	2.2	7.40
FBSV-48	1 ³ / ₈	48	2 ³ / ₈	2.5	8.20

Used to support particleboard decking in the center. Used with VDRS-xxxx.




LOW PROFILE SHELF SUPPORTS

CAT. NO.	LOAD CAP	LENGTH	GA.	WT.	PRICE
DRS-1214	600	11.5	14	.5	3.40
DRS-1514	600	14.5	14	.7	3.40
DRS-1814	600	17.5	14	.9	3.80
DRS-2414	600	23.5	14	1.1	4.30
DRS-3014	600	29.5	14	1.4	4.70
DRS-3611	850	35.5	11	2.8	8.70
DRS-3614	600	35.5	14	1.7	5.60
DRS-4211	800	41.5	11	3.2	9.90
DRS-4214	550	41.5	14	2.0	6.40
DRS-4811	750	47.5	11	3.7	10.30
DRS-4814	500	47.5	14	2.3	6.60



Profile View

Shelf supports are 27/32" d x 1¹/₈" h.




Z LINE COMPONENTS

Particleboard/Wire Decking, Steel Shelves, Divider

PARTICLEBOARD DECKING

CAT. NO.	W	D	H	WT.	PRICE
PB-3612	36	12	5/8	7.4	5.20
PB-3615	36	15	5/8	9.3	7.10
PB-3618	36	18	5/8	11.1	8.00
PB-3624	36	24	5/8	14.9	9.70
PB-3630	36	30	5/8	18.6	12.50
PB-3636	36	36	5/8	22.0	15.80
PB-4212	42	12	5/8	8.7	6.70
PB-4215	42	15	5/8	10.8	7.80
PB-4218	42	18	5/8	13.0	8.80
PB-4224	42	24	5/8	17.3	11.60
PB-4230	42	30	5/8	22.0	14.60
PB-4236	42	36	5/8	26.0	17.40
PB-4812	48	12	5/8	9.9	7.10
PB-4815	48	15	5/8	12.4	8.90
PB-4818	48	18	5/8	14.9	10.70
PB-4824	48	24	5/8	19.8	12.70
PB-4836	48	36	5/8	30.0	21.00
PB-4842	48	42	5/8	35.0	25.00
PB-4848	48	48	5/8	40.0	26.00
PB-6024	60	24	5/8	25.0	18.30
PB-6030	60	30	5/8	31.0	23.00
PB-6036	60	36	5/8	37.0	27.00
PB-6048	60	48	5/8	50.0	36.00
PB-6915	69	15	5/8	17.8	15.20
PB-6930	69	30	5/8	36.0	30.00
PB-7224	72	24	5/8	30.0	23.00
PB-7230	72	30	5/8	37.0	28.00
PB-7236	72	36	5/8	45.0	33.00
PB-7248	72	48	5/8	59.0	46.00
PB-9624	96	24	5/8	40.0	30.00
PB-9630	96	30	5/8	50.0	37.00
PB-9636	96	36	5/8	59.0	44.00
PB-9648	96	48	5/8	79.0	55.00


Industrial grade 5/8" thick particleboard provides a sturdy work surface that is both strong and economical.



WIRE DECKING

CAT. NO.	W	D	H	WT.	PRICE
ZWD-3612	36	12	5/16	4.0	16.30
ZWD-3618	36	18	5/16	6.0	24.00
ZWD-3624	36	24	5/16	8.0	33.00
ZWD-4812	48	12	5/16	5.4	22.00
ZWD-4818	48	18	5/16	8.0	33.00
ZWD-4824	48	24	5/16	10.7	43.00

Wire decking uses 4 gauge wire, & consists of a 2" x 4" mesh pattern. Additional sizes are available; contact factory for pricing. Wire decking is subject to longer than normal lead times; contact factory for specifics.




STEEL SHELVES

CAT. NO.	W	D	H	WT.	PRICE
ZMS-3612*	36	12	1 5/16	6.7	21.00
ZMS-3618*	36	18	1 5/16	8.8	27.00
ZMS-3624*	36	24	1 5/16	10.9	33.00
ZMS-3636§	36	36	1 5/16	17.9	60.00
ZMS-4212*	42	12	1 5/16	7.7	27.00
ZMS-4218*	42	18	1 5/16	10.1	34.00
ZMS-4224*	42	24	1 5/16	12.5	41.00
ZMS-4236§	42	36	1 5/16	20.0	68.00
ZMS-4812*	48	12	1 5/16	8.7	27.00
ZMS-4818*	48	18	1 5/16	11.4	34.00
ZMS-4824*	48	24	1 5/16	14.1	41.00
ZMS-4836§	48	36	1 5/16	23.0	75.00

REPLACEMENT SHELF CLIPS

ZSC-1	—	—	—	.1	.63
-------	---	---	---	----	-----


Attaches to upright posts with four shelf clips per shelf (included).
NOTE: When building your own unit with steel shelves, you **MUST** use VDRS supports at the top and bottom of the unit, on all four sides, for stabilization. Shelf clips alone are **NOT** sufficient to support unit. In addition, units 96" and taller must use VDRS supports in the center of the unit, on all four sides. * 22 gauge steel § 20 gauge steel



Shelf Clip

BOX RAILS

CAT. NO.	W	D	H	WT.	PRICE
ZBR-15	1 3/8	15	2 3/8	.8	3.50
ZBR-30	1 3/8	30	2 3/8	1.6	5.60




Used for archive box storage. Used with 42" and 69" LRA shelf supports only.

SHELF DIVIDER

CAT. NO.	W	D	H	WT.	PRICE
DIV2410	—	24	10	4.4	16.10

Use on particleboard, front-to-back, to subdivide shelf into several storage areas.



End View


Z LINE COMPONENTS

Aisle/Wall Ties, Hang Rods, and Accessories

CROSS AISLE TIES

CAT. NO.	W	D	H	WT.	PRICE
CAT-18	1 ³ / ₈	18	2 ³ / ₈	1.4	8.70
CAT-24	1 ³ / ₈	24	2 ³ / ₈	1.9	9.90
CAT-30	1 ³ / ₈	30	2 ³ / ₈	2.4	11.90
CAT-36	1 ³ / ₈	36	2 ³ / ₈	2.8	12.90
CAT-42	1 ³ / ₈	42	2 ³ / ₈	3.3	14.40
CAT-48	1 ³ / ₈	48	2 ³ / ₈	3.8	18.00


Used to link units across an aisle for extra stability.



ADJUSTABLE AISLE TIE

CAT. NO.	W	D	H	WT.	PRICE
KCAT-1	3	*	1	5.3	23.00


Links units across an aisle at adjustable distances.
* Depth adjusts from 30" to 60"



WALL TIE

CAT. NO.	W	D	H	WT.	PRICE
WT-9	9 ¹ / ₄	1 ³ / ₈	2 ³ / ₈	.7	4.00


Used to secure a unit to a wall, with a 9" gap between the unit and the wall.



SOFT NYLON PROTECTIVE CAPS

CAT. NO.	W	D	H	WT.	PRICE
EURPC	1 ¹ / ₂	1 ¹ / ₂	7/16	0.1	.67
ZTPPC	37/16	2	7/16	0.1	1.30
SURPC	1 ³ / ₄	2 ³ / ₄	7/16	0.1	.95


Place over top of upright end to protect from sharp edges. Or may be placed underneath end of upright as a floor protector.



HANG RODS FOR DRS SUPPORTS

CAT. NO.	W	D	H	WT.	PRICE
ZHR-36	36 ³ / ₁₆	55/64	1 ³ / ₆₄	2.3	8.50
ZHR-48	48 ³ / ₁₆	55/64	1 ³ / ₆₄	3.1	10.70


Used for hanging items left-to-right on a Z Line unit. Attaches between two DRS shelf supports.



TIE PLATE

CAT. NO.	W	D	H	WT.	PRICE
TP-1	3	—	2 ³ / ₄	.2	1.30


Used to secure two angle posts together front-to-back or side-by-side.



HANG RODS FOR LRA SUPPORTS

CAT. NO.	W	D	H	WT.	PRICE
CHANNEL-SHAPED HANG RODS					
PHR-36	36 ¹ / ₄	1 ⁵ / ₁₆	1 ¹ / ₁₆	2.9	10.50
PHR-48	48 ¹ / ₄	1 ⁵ / ₁₆	1 ¹ / ₁₆	3.8	13.00
ROUND HANG RODS					
OHR-36	36	1 ¹ / ₄ Diameter		2.5	8.50
OHR-48	48	1 ¹ / ₄ Diameter		3.3	13.20


Used for hanging items left-to-right on a Z Line unit. Attaches between two LRA or LRC shelf supports.



ANCHOR PLATE

CAT. NO.	W	D	H	WT.	PRICE
ZFA-1	1 ³ / ₈	15	2 ³ / ₈	.2	1.80


Attaches to uprights to allow anchoring uprights to the floor.



POST SPLICE ANGLE

CAT. NO.	W	D	H	WT.	PRICE
PSA-2	1 ⁹ / ₁₆	1 ⁹ / ₁₆	6 ¹ / ₂	.5	6.20


Used for splicing EUR, SUR, and ZTP upright posts. When splicing ZTP uprights, two post splice angles are required.




Z LINE COMPONENTS AND UNITS

Doors/Sides/Backs, Record Archive & Sloping Shelf Units

Z LINE SIDE AND BACK PANELS



Side Panel



Back Panel

SIDE PANELS					
CAT. NO.	W	D	H	WT.	PRICE
ZLEP-1284	—	12	84	11	56.00
ZLEP-1584	—	15	84	14	57.00
ZLEP-1884	—	18	84	17	63.00
ZLEP-2484	—	24	84	22	70.00
ZLEP-3084	—	30	84	27	81.00

Side panels fit starter units only; will not fit adder units with ZTP posts. Each side consists of two pieces. Includes 10 attachment clips.


BACK PANELS					
CAT. NO.	W	D	H	WT.	PRICE
ZLBP-3684	36	—	84	35	88.00
ZLBP-4284	42	—	84	39	98.00
ZLBP-4884	48	—	84	44	108.00

Back consists of two pieces. Includes 10 attachment clips.

Z LINE HINGED DOORS

CAT. NO.	W	D	H	WT.	PRICE
ZLHD-3684	36 ^{1/8}	13 ^{1/16}	84	52	417.00
ZLHD-4284	42 ^{1/8}	13 ^{1/16}	84	59	474.00
ZLHD-4884	48 ^{1/8}	13 ^{1/16}	84	64	487.00


Extends 13^{1/16}" from front of unit (not including handles). Handles protrude an additional 1^{5/8}".




RECORD ARCHIVE STORAGE RACKS

UNIT SIZE W D H	NO. OF OPENINGS	CUSTOMER SUPPLIES DECKING			WITH PARTICLEBOARD DECKING			WITH ANGLE BOX SUPPORTS		
		CAT. NO.	WT.	PRICE	CAT. NO.	WT.	PRICE	CAT. NO.	WT.	PRICE
42 15 60	2	ZA421560-3	37	121.00	ZA421560-3D	70	144.00	ZB421560-3	52	184.00
42 15 84	3	ZA421584-4	50	163.00	ZA421584-4D	94	194.00	ZB421584-4	70	247.00
42 30 60	2	ZA423060-3	46	138.00	ZA423060-3D	112	181.00	ZB423060-3	74	238.00
42 30 84	3	ZA423084-4	62	186.00	ZA423084-4D	150	244.00	ZB423084-4	100	320.00
69 15 60	2	ZA691560-3	53	168.00	ZA691560-3D	107	213.00	ZB691560-3	77	273.00
69 15 84	3	ZA691584-4	72	226.00	ZA691584-4D	143	286.00	ZB691584-4	104	366.00
69 30 60	2	ZA693060-3	65	191.00	ZA693060-3D	173	281.00	ZB693060-3	113	359.00
69 30 84	3	ZA693084-4	88	257.00	ZA693084-4D	232	377.00	ZB693084-4	152	481.00


CUSTOMER TO SUPPLY DECKING



SUPPLIED WITH DECKING




SUPPLIED WITH ANGLE BOX SUPPORTS



SLOPING SHELF UNITS

UNIT SIZE W D H	STARTER UNITS			ADDER UNITS			EXTRA SHELF LEVELS		
	CAT. NO.	WT.	PRICE	CAT. NO.	WT.	PRICE	CAT. NO.	WT.	PRICE
36 18 84	ZT7-3618S-5	131	421.00	ZT7-3618A-5	134	423.00	ZSSS-3618	14.5	59.00
36 24 84	ZT7-3624S-5	155	490.00	ZT7-3624A-5	158	492.00	ZSSS-3624	19.4	70.00
48 18 84	ZT7-4818S-5	181	547.00	ZT7-4818A-5	184	549.00	ZSSS-4818	19.4	70.00
48 24 84	ZT7-4824S-5	211	630.00	ZT7-4824A-5	214	632.00	ZSSS-4824	26.0	84.00




Z LINE SHELVING


Steel Shelving Units, Die Rack Unit

STEEL SHELVING UNITS

UNIT SIZE W D H	LOAD CAP.*	STARTER UNITS			ADDER UNITS			EXTRA SHELF LEVELS		
		CAT. NO.	WT.	PRICE	CAT. NO.	WT.	PRICE	CAT. NO.	WT.	PRICE
36 12 84	750	ZM7-3612S-5D	59	188.00	ZM7-3612A-5D	58	184.00	ZMS-3612	6.7	21.00
36 18 84	750	ZM7-3618S-5D	71	220.00	ZM7-3618A-5D	69	214.00	ZMS-3618	8.8	27.00
36 24 84	700	ZM7-3624S-5D	83	253.00	ZM7-3624A-5D	81	246.00	ZMS-3624	10.9	33.00
36 36 84	600	ZM7-3636S-5D	120	396.00	ZM7-3636A-5D	117	384.00	ZMS-3636	17.9	60.00
42 12 84	600	ZM7-4212S-5D	66	220.00	ZM7-4212A-5D	65	216.00	ZMS-4212	7.7	27.00
42 18 84	600	ZM7-4218S-5D	79	259.00	ZM7-4218A-5D	77	253.00	ZMS-4218	10.1	34.00
42 24 84	550	ZM7-4224S-5D	93	297.00	ZM7-4224A-5D	90	290.00	ZMS-4224	12.5	41.00
42 36 84	550	ZM7-4236S-5D	135	440.00	ZM7-4236A-5D	131	428.00	ZMS-4236	21.0	68.00
48 12 84	500	ZM7-4812S-5D	72	224.00	ZM7-4812A-5D	71	220.00	ZMS-4812	8.7	27.00
48 18 84	500	ZM7-4818S-5D	87	263.00	ZM7-4818A-5D	85	257.00	ZMS-4818	11.4	34.00
48 24 84	450	ZM7-4824S-5D	102	301.00	ZM7-4824A-5D	99	293.00	ZMS-4824	14.1	41.00
48 36 84	450	ZM7-4836S-5D	148	478.00	ZM7-4836A-5D	145	467.00	ZMS-4836	23.0	75.00



STARTER UNIT




ADD-ON UNIT

Starter units use 4 EUR uprights; adder units use 2 ZTP uprights. *Load Capacity figures are calculated in pounds per shelf level. Each unit is stabilized by VDRS shelf supports at both top and bottom. Total unit capacity, using four EUR uprights, not to exceed 8000 lbs., based on 24" centers or less. Intermediate shelves are attached by 4 ZSC-1 shelf clips (included).

CAT. NO.	W	D	H	WT. CAP.*	WT.	PRICE
RXHS-361872	36	18	72	4000	147	476.00
RXHS-481872	48	18	72	4000	181	572.00
RXHS-482472	48	24	72	4000	214	658.00
RXHS-602472	60	24	72	3250	255	771.00
RXHS-722472	72	24	72	2750	305	904.00
RXHS-361884	36	18	84	4000	155	489.00
RXHS-481884	48	18	84	4000	189	585.00
RXHS-482484	48	24	84	4000	222	671.00
RXHS-602484	60	24	84	3250	263	784.00
RXHS-722484	72	24	84	2750	313	917.00
RXHS-723684	72	36	84	2750	422	1,144.00
RXHS-962484	96	24	84	2600	420	1,211.00
RXHS-963684	96	36	84	2600	569	1,546.00
RXHS-361896	36	18	96	4000	155	496.00
RXHS-481896	48	18	96	4000	189	592.00
RXHS-482496	48	24	96	4000	222	678.00
RXHS-602496	60	24	96	3250	263	791.00
RXHS-722496	72	24	96	2750	313	924.00
RXHS-723696	72	36	96	2750	422	1,151.00
RXHS-962496	96	24	96	2600	419	1,218.00
RXHS-963696	96	36	96	2600	569	1,553.00

Weight capacities are based on shelves spaced on 24" centers. Weight not to exceed a total of 13,000 lbs. per unit. Reinforcements (SDS-xx) included per shelf level: One on all 36" w, 48" w, and 60" w units; two on all 72" w units; three on all 96" w units. Available in Medium Grey only. Other heights also available; call factory for pricing.

DIE RACK UNIT



EXTRA SHELF LEVELS						
CAT. NO.	W	D	H	WT.	PRICE	
RXHS-3618	36	18	2 ¹¹ / ₁₆	25	90.00	
RXHS-4818	48	18	2 ¹¹ / ₁₆	32	109.00	
RXHS-4824	48	24	2 ¹¹ / ₁₆	38	126.00	
RXHS-6024	60	24	2 ¹¹ / ₁₆	45	150.00	
RXHS-7224	72	24	2 ¹¹ / ₁₆	56	172.00	
RXHS-7236	72	36	2 ¹¹ / ₁₆	79	215.00	
RXHS-9624	96	24	2 ¹¹ / ₁₆	78	228.00	
RXHS-9636	96	36	2 ¹¹ / ₁₆	108	295.00	

Z LINE SHELVING

Low Profile Shelving Units

4 SHELVES, 3 OPENINGS — With Particleboard Decking

UNIT SIZE W D H	LOAD CAP.*	STARTER UNITS			ADDER UNITS			EXTRA SHELF LEVELS		
		CAT. NO.	WT.	PRICE	CAT. NO.	WT.	PRICE	CAT. NO.	WT.	PRICE
36 12 84	600	ZA7-3612S-4D	63	139.00	ZA7-3612A-4D	62	130.00	ZAES-3612D	10.8	16.40
36 18 84	600	ZA7-3618S-4D	80	152.00	ZA7-3618A-4D	78	142.00	ZAES-3618D	14.5	19.20
36 24 84	600	ZA7-3624S-4D	97	162.00	ZA7-3624A-4D	94	151.00	ZAES-3624D	18.3	21.00
36 36 84	600	ZA7-3636S-4D	132	206.00	ZA7-3636A-4D	132	207.00	ZAES-3636D	29.0	38.00
42 12 84	550	ZA7-4212S-4D	71	151.00	ZA7-4212A-4D	69	142.00	ZAES-4212D	12.7	19.50
42 18 84	550	ZA7-4218S-4D	90	162.00	ZA7-4218A-4D	88	152.00	ZAES-4218D	17.0	22.00
42 24 84	550	ZA7-4224S-4D	109	176.00	ZA7-4224A-4D	106	165.00	ZAES-4224D	21.0	24.00
42 36 84	550	ZA7-4236S-4D	150	218.00	ZA7-4236A-4D	151	220.00	ZAES-4236D	33.0	41.00
48 12 84	500	ZA7-4812S-4D	78	154.00	ZA7-4812A-4D	77	145.00	ZAES-4812D	14.5	20.00
48 18 84	500	ZA7-4818S-4D	100	171.00	ZA7-4818A-4D	98	161.00	ZAES-4818D	19.5	24.00
48 24 84	500	ZA7-4824S-4D	121	182.00	ZA7-4824A-4D	118	171.00	ZAES-4824D	24.0	26.00
48 36 84	500	ZA7-4836S-4D	169	234.00	ZA7-4836A-4D	169	236.00	ZAES-4836D	38.0	45.00


4 SHELVES, 3 OPENINGS — Without Decking

UNIT SIZE W D H	LOAD CAP.*	STARTER UNITS			ADDER UNITS			EXTRA SHELF LEVELS		
		CAT. NO.	WT.	PRICE	CAT. NO.	WT.	PRICE	CAT. NO.	WT.	PRICE
36 12 84	600	ZA7-3612S-4	33	118.00	ZA7-3612A-4	32	109.00	ZAES-3612	3.4	11.20
36 18 84	600	ZA7-3618S-4	36	120.00	ZA7-3618A-4	33	110.00	ZAES-3618	3.4	11.20
36 24 84	600	ZA7-3624S-4	37	123.00	ZA7-3624A-4	34	112.00	ZAES-3624	3.4	11.20
36 36 84	600	ZA7-3636S-4	44	142.00	ZA7-3636A-4	44	144.00	ZAES-3636	6.8	22.00
42 12 84	550	ZA7-4212S-4	36	124.00	ZA7-4212A-4	35	115.00	ZAES-4212	4.0	12.80
42 18 84	550	ZA7-4218S-4	38	127.00	ZA7-4218A-4	36	117.00	ZAES-4218	4.0	12.80
42 24 84	550	ZA7-4224S-4	39	130.00	ZA7-4224A-4	36	118.00	ZAES-4224	4.0	12.80
42 36 84	550	ZA7-4236S-4	46	149.00	ZA7-4236A-4	47	150.00	ZAES-4236	7.4	24.00
48 12 84	500	ZA7-4812S-4	38	126.00	ZA7-4812A-4	37	117.00	ZAES-4812	4.6	13.20
48 18 84	500	ZA7-4818S-4	41	128.00	ZA7-4818A-4	38	118.00	ZAES-4818	4.6	13.20
48 24 84	500	ZA7-4824S-4	42	131.00	ZA7-4824A-4	39	120.00	ZAES-4824	4.6	13.20
48 36 84	500	ZA7-4836S-4	49	150.00	ZA7-4836A-4	49	152.00	ZAES-4836	8.0	24.00


Starter units use four EUR uprights and six DRS end supports; adder units use two ZTP uprights and three DRS end supports. Shelves are supported, on front and rear only, by low profile shelf supports (DRS-xx).

36" deep shelves are supported on all four sides.


*Load capacity in pounds per shelf level. Total unit capacity, using four uprights, not to exceed 8000 lbs., based on 24" centers or less.




STARTER UNIT WITH DECKING



ADD-ON UNIT WITH DECKING



STARTER UNIT WITHOUT DECKING



ADD-ON UNIT WITHOUT DECKING

Z LINE SHELVING


Long Span Shelving Units



HEAVY DUTY LONG SPAN SHELVING

With Particleboard Decking

3 SHELVES (2 OPENINGS)							EXTRA SHELF LEVELS		
CAT. NO.	W	D	H	CAP.*	WT.	PRICE	CAT. NO.	WT.	PRICE
ZL7-4824-3D	48	24	84	2250	124	224.00	ZLES-4824D	33	50.00
ZL7-4830-3D	48	30	84	2250	144	248.00	ZLES-4830D	39	58.00
ZL7-4836-3D	48	36	84	2250	163	271.00	ZLES-4836D	46	66.00
ZL7-4848-3D	48	48	84	2250	202	308.00	ZLES-4848D	59	78.00
ZL7-6024-3D	60	24	84	2000	144	257.00	ZLES-6024D	39	61.00
ZL7-6030-3D	60	30	84	2000	167	284.00	ZLES-6030D	47	70.00
ZL7-6036-3D	60	36	84	2000	189	305.00	ZLES-6036D	54	77.00
ZL7-6048-3D	60	48	84	2000	237	354.00	ZLES-6048D	70	93.00
ZL7-7224-3D	72	24	84	1750	171	301.00	ZLES-7224D	48	76.00
ZL7-7230-3D	72	30	84	1750	199	333.00	ZLES-7230D	58	86.00
ZL7-7236-3D	72	36	84	1750	228	361.00	ZLES-7236D	67	95.00
ZL7-7248-3D	72	48	84	1750	282	428.00	ZLES-7248D	85	118.00
ZL7-9624-3D	96	24	84	1250	218	374.00	ZLES-9624D	64	100.00
ZL7-9630-3D	96	30	84	1250	256	416.00	ZLES-9630D	77	114.00
ZL7-9636-3D	96	36	84	1250	290	452.00	ZLES-9636D	88	126.00
ZL7-9648-3D	96	48	84	1250	364	520.00	ZLES-9648D	113	148.00




Uses SUR uprights. Shelves supported on all four sides with wide profile shelf supports (LRA-xx). 1 SDS-xx included with 48" and 60" units; 2 SDS-xx included with 72" units; and 3 SDS-xx included with 96" units.

*Load capacity in pounds per shelf level. Total unit capacity not to exceed 11,000 lbs. per unit (2,750 lbs. per post), based on 24" centers or less.

HEAVY DUTY LONG SPAN SHELVING

Without Decking

3 SHELVES (2 OPENINGS)							EXTRA SHELF LEVELS		
CAT. NO.	W	D	H	CAP.*	WT.	PRICE	CAT. NO.	WT.	PRICE
ZL7-4824-3	48	24	84	2250	64	185.00	ZLES-4824	12.7	37.00
ZL7-4830-3	48	30	84	2250	69	198.00	ZLES-4830	14.4	41.00
ZL7-4836-3	48	36	84	2250	73	208.00	ZLES-4836	15.8	45.00
ZL7-4848-3	48	48	84	2250	82	230.00	ZLES-4848	18.6	52.00
ZL7-6024-3	60	24	84	2000	69	202.00	ZLES-6024	14.3	42.00
ZL7-6030-3	60	30	84	2000	74	215.00	ZLES-6030	16.0	47.00
ZL7-6036-3	60	36	84	2000	78	224.00	ZLES-6036	17.4	50.00
ZL7-6048-3	60	48	84	2000	87	246.00	ZLES-6048	20.0	57.00
ZL7-7224-3	72	24	84	1750	81	232.00	ZLES-7224	18.4	53.00
ZL7-7230-3	72	30	84	1750	88	249.00	ZLES-7230	21.0	58.00
ZL7-7236-3	72	36	84	1750	93	262.00	ZLES-7236	22.0	62.00
ZL7-7248-3	72	48	84	1750	105	290.00	ZLES-7248	26.0	72.00
ZL7-9624-3	96	24	84	1250	98	284.00	ZLES-9624	24.0	70.00
ZL7-9630-3	96	30	84	1250	106	305.00	ZLES-9630	27.0	77.00
ZL7-9636-3	96	36	84	1250	113	320.00	ZLES-9636	29.0	82.00
ZL7-9648-3	96	48	84	1250	127	355.00	ZLES-9648	34.0	93.00



Uses SUR uprights. Shelves supported on all four sides with wide profile shelf supports (LRA-xx). 1 SDS-xx included with 48" and 60" units; 2 SDS-xx included with 72" units; and 3 SDS-xx included with 96" units.

*Load capacity in pounds per shelf level. Total unit capacity not to exceed 11,000 lbs. per unit (2,750 lbs. per post), based on 24" centers or less.